

# Cross Reference Guide: Lighting

## Linear Fixture Lighting Solutions

Each fixture features 3 different profiles that can be used in various ways throughout the kitchen. Use the Angled Profile (P3) under or inside cabinets, or in the toe kick, to angle light where it's needed. Use the Flat Profile (P7) under cabinets to illuminate the workspace directly below. Use the Recessed Profile (PX) under cabinets or shelves for a flush, sleek finish.

The Vivid and Radiance fixtures are available with Soft White (3000K) and Cool White (4000K) color temperatures. The TandemLED fixtures have tunable white color temperatures that allow users to change the color temperature from 2700K to 5000K and anywhere in between.

### Vivid Fixture Example Angled Profile, 4000K Color Temp

Profile Option: **P3** Kelvin Temp: **4000**

LV 2 P3 12 V 09 - 03 W 4 4000

### Radiance Fixture Example Recessed Profile, 3000K Color Temp

Profile Option: **PX** Kelvin Temp: **3000**

LR 1 PX 12 V 12 - 02 W 3 3000

### TandemLED Fixture Example Flat Profile

Profile Option: **P7**

LT 2 P7 12 V 21 - 06 W



A Linear Fixture Length for Every Cabinet Width

	Vivid Fixtures	Radiance Fixtures	TandemLED Fixtures
9" Cabinets	LV2P312V09-03W3	LR1P312V09-02W3	LT2P312V09-03W
	LV2P312V09-03W4	LR1P312V09-02W4	LT2P712V09-03W
Vivid/Radiance Fixture Length: 6-5/8"	LV2P712V09-03W3	LR1P712V09-02W3	LT2PX12V09-03W
	LV2P712V09-03W4	LR1P712V09-02W4	
Tandem Fixture Length: 5-1/8"	LV2PX12V09-03W3	LR1PX12V09-02W3	
	LV2PX12V09-03W4	LR1PX12V09-02W4	

	Vivid Fixtures	Radiance Fixtures	TandemLED Fixtures
12" Cabinets	LV2P312V12-03W3	LR1P312V12-02W3	LT2P312V12-03W
	LV2P312V12-03W4	LR1P312V12-02W4	LT2P712V12-03W
Vivid/Radiance Fixture Length: 8-5/8"	LV2P712V12-03W3	LR1P712V12-02W3	LT2PX12V12-03W
	LV2P712V12-03W4	LR1P712V12-02W4	
Tandem Fixture Length: 7-5/16"	LV2PX12V12-03W3	LR1PX12V12-02W3	
	LV2PX12V12-03W4	LR1PX12V12-02W4	

	Vivid Fixtures	Radiance Fixtures	TandemLED Fixtures
15" Cabinets	LV2P312V15-04W3	LR1P312V15-02W3	LT2P312V15-04W
	LV2P312V15-04W4	LR1P312V15-02W4	LT2P712V15-04W
Vivid/Radiance Fixture Length: 12-9/16"	LV2P712V15-04W3	LR1P712V15-02W3	LT2PX12V15-04W
	LV2P712V15-04W4	LR1P712V15-02W4	
Tandem Fixture Length: 11-11/16"	LV2PX12V15-04W3	LR1PX12V15-02W3	
	LV2PX12V15-04W4	LR1PX12V15-02W4	

	Vivid Fixtures	Radiance Fixtures	TandemLED Fixtures
18" Cabinets	LV2P312V18-05W3	LR1P312V18-03W3	LT2P312V18-05W
	LV2P312V18-05W4	LR1P312V18-03W4	LT2P712V18-05W
Vivid/Radiance Fixture Length: 14-1/2"	LV2P712V18-05W3	LR1P712V18-03W3	LT2PX12V18-05W
	LV2P712V18-05W4	LR1P712V18-03W4	
Tandem Fixture Length: 13-7/8"	LV2PX12V18-05W3	LR1PX12V18-03W3	
	LV2PX12V18-05W4	LR1PX12V18-03W4	

# Cross Reference Guide: Lighting

	Vivid Fixtures	Radiance Fixtures	TandemLED Fixtures	
<b>21"</b> Cabinets	LV2P312V21-05W3	LR1P312V21-03W3	LT2P312V21-06W	
	LV2P312V21-05W4	LR1P312V21-03W4	LT2P712V21-06W	
	Vivid/Radiance Fixture Length: 18-7/16"	LV2P712V21-05W3	LR1P712V21-03W3	LT2PX12V21-06W
		LV2P712V21-05W4	LR1P712V21-03W4	
	Tandem Fixture Length: 18-3/16"	LV2PX12V21-05W3	LR1PX12V21-03W3	
		LV2PX12V21-05W4	LR1PX12V21-03W4	

	Vivid Fixtures	Radiance Fixtures	TandemLED Fixtures	
<b>24"</b> Cabinets	LV2P312V24-06W3	LR1P312V24-03W3	LT2P312V24-06W	
	LV2P312V24-06W4	LR1P312V24-03W4	LT2P712V24-06W	
	Vivid/Radiance Fixture Length: 20-7/16"	LV2P712V24-06W3	LR1P712V24-03W3	LT2PX12V24-06W
		LV2P712V24-06W4	LR1P712V24-03W4	
	Tandem Fixture Length: 20-3/8"	LV2PX12V24-06W3	LR1PX12V24-03W3	
		LV2PX12V24-06W4	LR1PX12V24-03W4	

	Vivid Fixtures	Radiance Fixtures	TandemLED Fixtures	
<b>27"</b> Cabinets	LV2P312V27-07W3	LR1P312V27-04W3	LT2P312V27-07W	
	LV2P312V27-07W4	LR1P312V27-04W4	LT2P712V27-07W	
	Vivid/Radiance Fixture Length: 24-3/8"	LV2P712V27-07W3	LR1P712V27-04W3	LT2PX12V27-07W
		LV2P712V27-07W4	LR1P712V27-04W4	
	Tandem Fixture Length: 22-9/16"	LV2PX12V27-07W3	LR1PX12V27-04W3	
		LV2PX12V27-07W4	LR1PX12V27-04W4	

	Vivid Fixtures	Radiance Fixtures	TandemLED Fixtures	
<b>30"</b> Cabinets	LV2P312V30-07W3	LR1P312V30-04W3	LT2P312V30-08W	
	LV2P312V30-07W4	LR1P312V30-04W4	LT2P712V30-08W	
	Vivid/Radiance Fixture Length: 26-5/16"	LV2P712V30-07W3	LR1P712V30-04W3	LT2PX12V30-08W
		LV2P712V30-07W4	LR1P712V30-04W4	
	Tandem Fixture Length: 26-15/16"	LV2PX12V30-07W3	LR1PX12V30-04W3	
		LV2PX12V30-07W4	LR1PX12V30-04W4	

	Vivid Fixtures	Radiance Fixtures	TandemLED Fixtures	
<b>33"</b> Cabinets	LV2P312V33-08W3	LR1P312V33-05W3	LT2P312V33-09W	
	LV2P312V33-08W4	LR1P312V33-05W4	LT2P712V33-09W	
	Vivid/Radiance Fixture Length: 30-1/4"	LV2P712V33-08W3	LR1P712V33-05W3	LT2PX12V33-09W
		LV2P712V33-08W4	LR1P712V33-05W4	
	Tandem Fixture Length: 29-1/8"	LV2PX12V33-08W3	LR1PX12V33-05W3	
		LV2PX12V33-08W4	LR1PX12V33-05W4	

	Vivid Fixtures	Radiance Fixtures	TandemLED Fixtures	
<b>36"</b> Cabinets	LV2P312V36-09W3	LR1P312V36-05W3	LT2P312V36-09W	
	LV2P312V36-09W4	LR1P312V36-05W4	LT2P712V36-09W	
	Vivid/Radiance Fixture Length: 32-1/4"	LV2P712V36-09W3	LR1P712V36-05W3	LT2PX12V36-09W
		LV2P712V36-09W4	LR1P712V36-05W4	
	Tandem Fixture Length: 31-5/16"	LV2PX12V36-09W3	LR1PX12V36-05W3	
		LV2PX12V36-09W4	LR1PX12V36-05W4	

	Vivid Fixtures	Radiance Fixtures	TandemLED Fixtures	
<b>39"</b> Cabinets	LV2P312V39-10W3	LR1P312V39-05W3	LT2P312V39-10W	
	LV2P312V39-10W4	LR1P312V39-05W4	LT2P712V39-10W	
	Vivid/Radiance Fixture Length: 36-3/16"	LV2P712V39-10W3	LR1P712V39-05W3	LT2PX12V39-10W
		LV2P712V39-10W4	LR1P712V39-05W4	
	Tandem Fixture Length: 35-11/16"	LV2PX12V39-10W3	LR1PX12V39-05W3	
		LV2PX12V39-10W4	LR1PX12V39-05W4	

	Vivid Fixtures	Radiance Fixtures	TandemLED Fixtures	
<b>42"</b> Cabinets	LV2P312V42-10W3	LR1P312V42-06W3	LT2P312V42-11W	
	LV2P312V42-10W4	LR1P312V42-06W4	LT2P712V42-11W	
	Vivid/Radiance Fixture Length: 38-1/8"	LV2P712V42-10W3	LR1P712V42-06W3	LT2PX12V42-11W
		LV2P712V42-10W4	LR1P712V42-06W4	
	Tandem Fixture Length: 37-7/8"	LV2PX12V42-10W3	LR1PX12V42-06W3	
		LV2PX12V42-10W4	LR1PX12V42-06W4	

	Vivid Fixtures	Radiance Fixtures	TandemLED Fixtures	
<b>45"</b> Cabinet Runs*	LV2P312V45-11W3	LR1P312V45-06W3	LT2P312V45-11W	
	LV2P312V45-11W4	LR1P312V45-06W4	LT2P712V45-11W	
	Vivid/Radiance Fixture Length: 42-1/16"	LV2P712V45-11W3	LR1P712V45-06W3	LT2PX12V45-11W
		LV2P712V45-11W4	LR1P712V45-06W4	
	Tandem Fixture Length: 40-1/16"	LV2PX12V45-11W3	LR1PX12V45-06W3	
		LV2PX12V45-11W4	LR1PX12V45-06W4	

	Vivid Fixtures	Radiance Fixtures	TandemLED Fixtures	
<b>48"</b> Cabinet Runs*	LV2P312V48-12W3	LR1P312V48-06W3	LT2P312V48-12W	
	LV2P312V48-12W4	LR1P312V48-06W4	LT2P712V48-12W	
	Vivid/Radiance Fixture Length: 44-1/16"	LV2P712V48-12W3	LR1P712V48-06W3	LT2PX12V48-12W
		LV2P712V48-12W4	LR1P712V48-06W4	
	Tandem Fixture Length: 44-7/16"	LV2PX12V48-12W3	LR1PX12V48-06W3	
		LV2PX12V48-12W4	LR1PX12V48-06W4	

\*Slight modification may be necessary

\*Slight modification may be necessary

## Angle Power Strip

The Angle Power Strip products are stocked in 4 popular color combinations (see below) to help coordinate with the cabinet color, match hardware or reduce visibility by blending into the backsplash.

The fixtures can be mounted two ways: flush under the cabinet and recessed under the cabinet reveal. See the images below for an example of both methods. The table on the opposite page lists the suggested fixture length needed for each mounting option in a given cabinet size.

### Angle Power Strip Example Bronze Fixture with Black Receptacles

Receptacle Color      Fixture Finish

↓                              ↓

T R 9 - 1 B D - P - B Z

#### Receptacle Color & Fixture Finish Options:

- Black (B) Receptacle with Black (BK) Fixture
- Black (B) Receptacle with Bronze (BK) Fixture
- Grey (G) Receptacle with Satin Nickel (SN) Fixture
- White (W) Receptacle with White (WT) Fixture



Flush Mount Under Cabinet



Recessed Mount Under Cabinet

# Cross Reference Guide: Power

	Flush Mount Under Cabinet	Recessed Mount Under Cabinet		Flush Mount Under Cabinet	Recessed Mount Under Cabinet		Flush Mount Under Cabinet	Recessed Mount Under Cabinet
9" Cabinets	TR9-1BD-P-BK	N/A	12" Cabinets	TR12-1BD-P-BK	TR9-1BD-P-BK	15" Cabinets	TR12-1BD-P-BK	TR12-1BD-P-BK
	TR9-1BD-P-BZ	N/A		TR12-1BD-P-BZ	TR9-1BD-P-BZ		TR12-1BD-P-BZ	TR12-1BD-P-BZ
	TR9-1GD-P-SN	N/A		TR12-1GD-P-SN	TR9-1GD-P-SN		TR12-1GD-P-SN	TR12-1GD-P-SN
	TR9-1WD-P-WT	N/A		TR12-1WD-P-WT	TR9-1WD-P-WT		TR12-1WD-P-WT	TR12-1WD-P-WT

	Flush Mount Under Cabinet	Recessed Mount Under Cabinet		Flush Mount Under Cabinet	Recessed Mount Under Cabinet		Flush Mount Under Cabinet	Recessed Mount Under Cabinet
18" Cabinets	TR18-2BD-P-BK	TR12-1BD-P-BK	21" Cabinets	TR18-2BD-P-BK	TR18-2BD-P-BK	24" Cabinets	TR24-2BD-P-BK	TR18-2BD-P-BK
	TR18-2BD-P-BZ	TR12-1BD-P-BZ		TR18-2BD-P-BZ	TR18-2BD-P-BZ		TR24-2BD-P-BZ	TR18-2BD-P-BZ
	TR18-2GD-P-SN	TR12-1GD-P-SN		TR18-2GD-P-SN	TR18-2GD-P-SN		TR24-2GD-P-SN	TR18-2GD-P-SN
	TR18-2WD-P-WT	TR12-1WD-P-WT		TR18-2WD-P-WT	TR18-2WD-P-WT		TR24-2WD-P-WT	TR18-2WD-P-WT

	Flush Mount Under Cabinet	Recessed Mount Under Cabinet		Flush Mount Under Cabinet	Recessed Mount Under Cabinet		Flush Mount Under Cabinet	Recessed Mount Under Cabinet
27" Cabinets	TR24-2BD-P-BK	TR24-2BD-P-BK	30" Cabinets	TR30-2BD-P-BK	TR24-2BD-P-BK	33" Cabinets	TR30-2BD-P-BK	TR30-2BD-P-BK
	TR24-2BD-P-BZ	TR24-2BD-P-BZ		TR30-2BD-P-BZ	TR24-2BD-P-BZ		TR30-2BD-P-BZ	TR30-2BD-P-BZ
	TR24-2GD-P-SN	TR24-2GD-P-SN		TR30-2GD-P-SN	TR24-2GD-P-SN		TR30-2GD-P-SN	TR30-2GD-P-SN
	TR24-2WD-P-WT	TR24-2WD-P-WT		TR30-2WD-P-WT	TR24-2WD-P-WT		TR30-2WD-P-WT	TR30-2WD-P-WT

	Flush Mount Under Cabinet	Recessed Mount Under Cabinet		Flush Mount Under Cabinet	Recessed Mount Under Cabinet		Flush Mount Under Cabinet	Recessed Mount Under Cabinet
36" Cabinets	TR36-2BD-P-BK	TR30-2BD-P-BK	39" Cabinets	TR36-2BD-P-BK	TR36-2BD-P-BK	42" Cabinets	TR42-3BD-P-BK	TR36-2BD-P-BK
	TR36-2BD-P-BZ	TR30-2BD-P-BZ		TR36-2BD-P-BZ	TR36-2BD-P-BZ		TR42-3BD-P-BZ	TR36-2BD-P-BZ
	TR36-2GD-P-SN	TR30-2GD-P-SN		TR36-2GD-P-SN	TR36-2GD-P-SN		TR42-3GD-P-SN	TR36-2GD-P-SN
	TR36-2WD-P-WT	TR30-2WD-P-WT		TR36-2WD-P-WT	TR36-2WD-P-WT		TR42-3WD-P-WT	TR36-2WD-P-WT

	Flush Mount Under Cabinet	Recessed Mount Under Cabinet		Flush Mount Under Cabinet	Recessed Mount Under Cabinet
45" Cabinets*	TR42-3BD-P-BK	TR42-3BD-P-BK	48" Cabinets*	TR48-3BD-P-BK	TR42-3BD-P-BK
	TR42-3BD-P-BZ	TR42-3BD-P-BZ		TR48-3BD-P-BZ	TR42-3BD-P-BZ
	TR42-3GD-P-SN	TR42-3GD-P-SN		TR48-3GD-P-SN	TR42-3GD-P-SN
	TR42-3WD-P-WT	TR42-3WD-P-WT		TR48-3WD-P-WT	TR42-3WD-P-WT

\*Slight modification may be necessary

\*Slight modification may be necessary